


ELEVATION OF INTERMEDIATE POST INTERMEDIATE STRAINER & CORNER POST



Scale 1: 50

Notes :

1. Dimensions are in millimetres.
2. All welds to be ground smooth.
3. Steel to be Grade S275 to BS EN 10025-2.
4. All site welds to be treated with two coats of zinc rich paint before application of paint system.
5. Steelwork for fencing including wires to be hot dip galvanized to BS EN ISO 1461: 2022.
6. Chain link mesh to be zinc coated type of BS1722 Part 1.
7. Concrete to be grade 30/20.
8. Where the concrete footing is located in block paved footpath, the footing should be lowered to allow for the paving blocks and the sand course.

INTERMEDIATE POST

Scale 1: 25

| | | | |
|------|---|-----------|--------|
| D | Note 5 updated | | Oct 24 |
| C | Note 3, 5 & 6 updated | | Oct 23 |
| B | Note 5 updated | | Sep 07 |
| A | Note 8 added | | Nov 99 |
| | Former Drg. No. H6013 with general revision | | Jun 94 |
| REF. | REVISION | SIGNATURE | DATE |

BOUNDARY FENCE

HIGHWAYS DEPARTMENT

REFERENCE

DRAWING No.

CAD

SCALE

As shown

H 6120D